



Basket Ball Shoot - Risk Assessment

Item	Risk	Existing Controls	Likelihood (1 - 5)	Severity (1 - 5)	Risk Score (Likelihood x Severity)	Further Action to take
inflatable	Injury through lack of supervision.	ADULT SUPERVISION AT ALL TIMES	1	5	5	switch off and deflate the unit when not supervised
Basket Ball	Injury from being hit by basket ball	Basketballs must stay within the unit, except when thrown at the hoops. Keep the area around the shooter clear of people. The unit requires constant supervision to ensure safe play and rule compliance	1	1	1	None
Inflatable	Injury through incorrect positioning.	Do not move or try to reposition the inflatable under any circumstances and ensure that the anchors are in place at all times.	1	4	4	None
Inflatable	Danger of injury from hard surfaces.	This unit is not made for users to climb on, Do not allow jumping or climbing on this inflatable.	1	4	4	None
Inflatable	Injury through insecure anchorage.	Never use this unit without proper anchorage. pegs for outside use. Sandbags for indoor use.	1	5	5	None
Inflatable	Adverse weather conditions.	The inflatable should be switched off in heavy rain and is not permitted to run in strong winds as both these conditions can be deemed a health and safety risk.	Dependant on weather			Infatable must be turned off when wind speeds exceed 24 mph
Anchor Points & Power Cables	Trip Hazard	Anchor points used as per manufacturer’s instructions and equipment safely or stowed away when not in use. Where possible electrical cable should not cross any public pathways.	1	1	1	Event organisers to provied cable covers should any power cables cross any walkways.
inflatable	Injury through 3rd party & spectators.	Always ensure that the area surrounding the Inflatable is not overcrowded. Do not allow anyone to stand infront of the person/person's who are throwing the basket ball	2	2	4	Safety barrier fencing should be used for crowd control. Spectators must always stand behind players.
Generator	Risk of fire from Petrol Blower / Generator	Petrol/Diesel generators/blowers will be filled on delivery, Inflatable is fire retardant. Should a refuel be required the unit should be closed for use, turned off, cooled down before refueling.	1	5	5	Generators should be placed away from the inflatable and users,extension leads to be used to gain power to the infatable.
Smoking / bbq	Danger of fire.	Inflatable is fire retardant however No smoking or barbecues should be near the inflatable at any time.	1	5	5	None